



Foldable Rubber Antenna 5G 4g Lte External Antenna 2.4-4.4dBi 13x211

Basic Information

- Place of Origin: China
- Brand Name: Leenz
- Certification: RoHs
- Model Number: LZANT-13193-B
- Minimum Order Quantity: 10
- Delivery Time: 15 days
- Payment Terms: T/T
- Supply Ability: 5K per day



Product Specification

- Frequency: 700-960Hz; 1710-2690MHz; 3300-3800MHz; 4200-4900M
- VSWR: <6.0
- Peak Gain: 4dBi
- Impedance: 50
- Highlight: external antenna 2.4-4.4dB,
5gee external antenna, 4g lte external antenna



Product Description


Indoor Antenna External Antenna Foldable Rubber Antenna 4G 5G Antenna 2.4-4.4dBi 13x211

1. Specification

A. Electrical Characteristics	
Frequency	700-960MHz; 1710-2690MHz; 3300-3800MHz; 4200-4900M
S.W.R.	6.0 Max@700-960Hz; 2.0 Max@1710-2690MHz; 3.0 Max@3300-3800MHz; 4200-4900M
Antenna Gain	4G: 1.9dBi@700-960Hz 3.5dBi@1710-2690MHz 5G: 3.5dBi@3300-3800MHz 4.1dBi@4200-4900MHz
Polarization	Linear
Impedance	50 Ohm
B. Material & Mechanical Characteristics	
Material of Radiator	PCB
Material of Plastic	PC+ABS
Cable Type	RG-178 Cable
Connector Type	SMA Male Connector
Connector Pull Test	>=3.0Kg
Connector Torque Test	300~1000 g.cm
C. Environmental	
Operation Temperature	- 40 °C ~ + 65 °C
Storage Temperature	- 40 °C ~ + 80 °C

2. Antenna - S Parameter Test Data

2.1 VSWR





Dongguan Leenz Electronics Co., Ltd



19200261653



sale01@leenz.com



leenzantenna.com

2nd Floor, Building 1, Xinhe Industrial Park No. 162, Zhen'an East Road, Chang'an Town, Dongguan City,
Guangdong Province