



2.4G 6dBi wifi omnidirectional waterproof fiberglass antenna 20x350mm

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Leenz
- Certification: RoHs
- Model Number: LZANT-10347-A
- Minimum Order Quantity: 10
- Delivery Time: 15 days
- Payment Terms: T/T
- Supply Ability: 5K per day



Product Specification

- Frequency: 2400-2500MHz
- VSWR: <2.0
- Peak Gain: 6dBi
- Impedance: 50



More Images



Product Description


Omni Antenna Fiber Glass antenna FRP Antenna WIFI Antenna 2.4G Antenna 16x200mm

1. Specification

A. Electrical Characteristics	
Frequency	2400-2500MHz
Impedance	50 Ohm
S.W.R.	<2.0
Antenna Gain	6dBi
Efficiency	~83%
Polarization	Linear
Horizontal Beamwidth	360°
Vertical Beamwidth	25±5°
Max Power	50W
B. Material & Mechanical Characteristics	
Connector Type	N -J connector
Dimension	Φ20*350mm
Weight	0.123Kg
Radome material	Fiberglass
C. Environmental	
Operation Temperature	- 40 °C ~ + 80 °C
Storage Temperature	- 40 °C ~ + 80 °C
Rated Wind Velocity	36.9m/s
Lighting Protection	DC Ground


2. Antenna - S Parameter Test Data

2.1 VSWR




2.2 Total Efficiency & Gain:

Frequency(MH)	2400.	2410.	2420.	2430.	2440.	2450.	2460.	2470.	2480.	2490.	2500.
z)	0	0	0	0	0	0	0	0	0	0	0
Gain (dBi)	5.72	5.65	5.64	5.76	5.72	5.82	5.81	5.73	5.64	5.69	5.74
Efficiency (%)	83.28	81.03	80.63	83.03	83.49	86.18	85.25	82.97	82.38	83.67	84.07



2.3 Radiation Pattern

	3D	2D-Horizontal	2D-Vertical



Dongguan Leenz Electronics Co., Ltd



19200261653



sale01@leenz.com



leenzantenna.com

2nd Floor, Building 1, Xinhe Industrial Park No. 162, Zhen'an East Road, Chang'an Town, Dongguan City,
Guangdong Province