



2.4G 5.8G WiFi6e dual-band omnidirectional network card router with external folding blade-shaped rubber antenna. Frequency range: 2400-2500 M5150-5850MHz, 13x240mm

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Leenz
- Certification: RoHs
- Model Number: LZANT-10093-A
- Minimum Order Quantity: 10
- Delivery Time: 15 days
- Payment Terms: T/T
- Supply Ability: 1K per day




Product Specification

- Frequency: 2400-2500/5150-5850M
- VSWR: <2
- Peak Gain: 5dBi
- Impedance: 50



More Images



for more products please visit us on leenzantenna.com

Product Description


2.4G/5.8G WIFI 157mm omnidirectional router external folding glue stick antenna

1. Specification

A. Electrical Characteristics	
Frequency	2400-2500/5150-5850MHz
Impedance	50 Ohm
S.W.R.	<2
Gain	2dBi
Efficiency	≈75%
Polarization	Linear
Horizontal Beamwidth	360°
Vertical Beamwidth	40°
B. Material & Mechanical Characteristics	
Connector Type	SMA-J or RP-SMA-J
Dimension	Φ13*240mm
Weight	0.02Kg
Radome material	PBT+PC black
C. Environmental	
Operation Temperature	- 40 °C ~ + 85 °C
Storage Temperature	- 40 °C ~ + 85 °C


2. Antenna - S Parameter Test Data

2.1 VSWR




2.2 Total Efficiency & Gain:

Frequency (MHz)	2400	2450	2500	5150	5350	5750	5825	5850
Gain (dBi)	5.0	4.5	4.0	5.0	4.4	3.5	3.7	4.7
Efficiency (%)	65.09	71.07	67.03	65.18	63.45	66.35	59.09	57.39



2.3 Radiation Pattern







Dongguan Leenz Electronics Co., Ltd



13711820037



joycewang@lzdz-tech.com



leenzantenna.com

2nd Floor, Building 1, Xinhe Industrial Park No. 162, Zhen'an East Road, Chang'an Town, Dongguan City,
Guangdong Province