



TNC connector 340-370M swivel antenna, flexible antenna, omnidirectional waterproof antenna, fiberglass antenna. Dimensions: 16 * 580mm.

Our Product Introduction

for more products please visit us on leenzantenna.com

Basic Information

- Place of Origin: China
- Brand Name: Leenz
- Certification: RoHs
- Model Number: LZANT-10764-A
- Minimum Order Quantity: 10
- Delivery Time: 15 days
- Payment Terms: T/T
- Supply Ability: 500 per day





Product Specification

- Frequency: 340-370MHz
- VSWR: <2.0
- Peak Gain: 2dBi
- Impedance: 50



More Images



Product Description

1. Specification

A. Electrical Characteristics

Frequency	340-370MHz
VSWR	< 2.0
Efficiency	≈379%
Peak Gain	2dBi
Impedance	50 Ohm
Polarization	Linear
Horizontal Beamwidth	360°
Vertical Beamwidth	50-90°
T90(H) roundness	±1
Max Power	50W

B. Material & Mechanical


Connector Type	TNC-J
Dimension	Φ16*580±5mm
Weight	0.2Kg
Radome material	FRP (Black)

C. Environmental

Operation Temperature	- 45°C ~ +85 °C
Storage Temperature	- 45°C ~ +85 °C
Rated Wind Velocity	36.9m/s
Lighting Protection	Dc grounding

2. Antenna - S Parameter Test Data

2.1 VSWR




2.2 Total Efficiency & Gain:

Frequency (MHz)	340	345	350	355	360	365	370
Gain (dBi)	1.2	1.3	1.5	1.5	1.7	1.8	1.7
Efficiency (%)	83.5	87.6	82.9	75.1	74.2	75.0	74.1

2.3 Radiation Pattern

	3D	2D-Horizontal	2D-Vertical



Dongguan Leenz Electronics Co., Ltd



13711820037



joycewang@lzdz-tech.com



leenzantenna.com

2nd Floor, Building 1, Xinhe Industrial Park No. 162, Zhen'an East Road, Chang'an Town, Dongguan City, Guangdong Province